# CITY OF STRONGSVILLE ARCHITECTURAL REVIEW BOARD APPLICATION CLUSTER SUBDIVISION

#### **ARCHIECTURAL REVIEW BOARD: (Referral from Planning Commission)**

You must be referred from the Planning Commission for review by the Architectural Review Board.

The following must be submitted two (2 weeks prior to a meeting).

Nine (10) sets of the following:

- An Architectural Review Board Application for a Cluster Subdivision.
- (10) Cluster Site Plans (Folded). Be sure to show all guest off-street parking areas.
- (10) Unit Elevation Drawings (all four sides)
- (10) Landscaping Plan (with Legend) showing American and Scientific names. Call out caliper, (min.2 ½" caliper), height (6'-8') for trees and show quantity of each plant material.
- (10) Photometric Exterior Lighting Plans (this includes the units and street lighting and entranceway lights). These must be approved by the City's Lighting Consultant – Roger Zakrajsek along with Manufacturing Lighting Cut Sheets for <u>all of the fixtures</u> to be used on the building and in parking lot.
- Mailbox Plan (Located mailboxes on the site plan)
- MATERIAL SAMPLES ARE TO BE BROUGHT TO THE MEETING

If you have any further questions, please call Carol Oprea at 440/580-3165.

# **City of Strongsville**

## **ARCHITECTURAL REVIEW BOARD APPLICATION**

## **CLUSTER Subdivisions**

Date of Application:			
Subdivision Name:	PHASE #		
Cluster Block or Location:	Number of Units		
Permanent Parcel Nos Involved:	Zoning Classification		
Developer's Name: :			
Developer's Address:	City & ZiP		
Bus Phone: ( )	FAX: ( )		
Project Manager or Architect's Name: _			
Address of Rep:	City & Zip:		
Rep's Bus. Phone: ( )	FAX( )		
E-Mail Address:			
SIGNAGE Being Proposed at This Time	e: Yes (Attach Form C) No		
Unit Building Materials & Color Sch	nedule:		
Roof: Material Mfg: Color	Doors: Front Entrance Door: Color: Garage Door:		
Siding: Type: Color:	Color:  Brick or Stone: (If Applicable)  Mfg: Color Blend:		
Trim (Windows & Soffits)         Mortar Color:           Type:         Decks: Yes No           Color:         Concrete Pad Only: Yes			

**NOTE:** Bring All Sample Materials to the ARB Meeting.

# **City of Strongsville**

# **ARCHITECTURAL REVIEW BOARD APPLICATION**

## **SCREENING For Subdivisions**

Date of Application:			
Subdivision Name:	PHASE #		
Cluster Block or Location:	Number of Units		
Permanent Parcel Nos Involved:	Zoning Classification		
Developer's Name: :			
Developer's Address:	City & ZiP		
Bus Phone: ( )	FAX: ( )		
Project Manager or Architect's Name:	·		
Address of Rep:	City & Zip:		
Rep's Bus. Phone: ( )	FAX()		
E-mail Address:			
SIGNAGE Being Proposed at This Tim	ne: Yes (Attach Form C) No		
Unit Building Materials & Color Sc	chedule:		
Roof:	Doors:		
Material	_ Front Entrance Door:		
Mfg:			
Color	Color:		
Siding:			
Type:	Brick or Stone: (If Applicable)		
Color:	Mfg:		
	Color Blend:		
Trim (Windows & Soffits)	Mortar Color:		
Type:			
Color:	Concrete Pad Only: Yes No		

**NOTE:** Bring All Sample Materials to the ARB Meeting.

### CITY OF STRONGSVILLE EXTERIOR LIGHTING CHECK LIST COMMERCIAL & INDUSTRIAL

Send documents directly to: Roger J. Zakrajsek, P.E.

8748 Brecksville Road Brecksville, OH 44141

Phone: 440-526-3500 FAX: 440 526-3571

Project:			
Project Location:			
PPN:	Zoning Classification:		
Property Owner's Name:			
Contact Person's Name :		Phone	

The following information shall be included with each outdoor lighting system that is submitted for approval to the City of Strongsville.

- 1. A photometric test report for each luminaire used to perform the lighting task.
- Photometric data regarding luminaire brightness control (candela curves cut through the major fixture axis and through the maximum candela axis) or any additional supporting data that may indicate how candlepower is controlled by the luminaire.
- 3. Point-by-point foot candle values of the lighting plan layout on a maximum grid of 20' by 20'. The grid will extend beyond the property lines to demonstrate that the lighting system has been designed to prevent light trespass on the adjacent properties.
- 4. Catalog cuts that indicate the appearance, construction and features of the luminaires that are specified for the lighting system.

#### If any of the above items are not submitted, the submission will be rejected.

The lighting systems that are submitted should be designed using luminaries that incorporate glare shielding and are designated as cutoff type luminaries. Additional shielding shall be provided on luminaires in any area close to residential property to effectively eliminate lamp or reflector glare. (These additional shields may be omitted if it can be demonstrated that the shielding is inherent in the luminaire design).

IES recommended illumination values will be used for the design of each lighting system.

The use of large lamp sources (1000 watt) should be avoided, except in areas where high mounting heights (50 feet or more) have been approved in advance.

The lighting report must be approved at the time of ARB or <u>prior to returning to the Planning Commission for final approval.</u>, so leave yourself enough time in securing the lighting plan recommendation.