

Wayfinding Analysis Report

PREPARED FOR
Strongsville, OH

















CONTENTS

Prepared for the city of Strongsville, OH by Guide Studio, Inc. ©2019

2 Introduction

Goals for a New Wayfinding & Signage Program

The User Continuum

The Wayfinding Funnel, Design Criteria & Wayfinding Strategy

5 Survey Summary

6 Wayfinding Study

Travel Paths

Decision Points

Gateways

10 Sign Type Recommendations

Gateways

Vehicular Directionals

Identification

13 Program Budget

Budget Range Examples

Budget Range Considerations

18 Recommendations

19 Next Steps

Timeline

Professional Services

Wayfinding is a critical component for developing positive experiences


Well-developed wayfinding systems signal that something is happening in your place; it serves as a catalyst to enhance community pride and image. Wayfinding programs will:

- Enhance your community's surrounding landscape
- Support understanding of your community
- Provide information for increased comfort and safety
- Elevate the perception of your place
- Inspire increased visitation

With easy expressway access, a vast Metropark, bustling business community, and large retail mall, The city of Strongsville attracts many visitors who are unaware of its unique assets. An effective Signage and Wayfinding Program can allow visitors to comfortably navigate the city and direct them to the amenities and experiences the city has to offer.

Goals for a new Wayfinding and Signage Program for Strongsville, OH

- Create a consistent brand/visual look
- · Identifying public parks, industrial parks, and city facilities
- Get people to the city square (Commons)
- Increase attendance for activities and events
- Promote visitor amenities
- Connect all corners of city together



When it comes to place-based experiences, setting expectations and consistently delivering throughout the entire experience is critical in creating positive impressions.

When we are talking about place, audiences, no matter how distinctive, share common ground in the sequence of time. Every experience can be defined in three categories: *before*, *during*, *and after*. We call this **The User Continuum**.


Connection with a place begins before arrival, and continues after leaving, but one of the first *physical interactions* a visitor has with a place is signage.

Signage occurs in *the during*—those in—the moment touch—points that a visitor interacts with as they experience your place. The touch—points signage and wayfinding address are *arrival*, *direction*, *orientation*, *identification*, *engagement and departure*. Paying close attention to these touch—points can create a positive perception, or if ignored, can leave a lasting negative impression regarding the safety, comfort, value and relevance of your place.

When you approach or travel through your community, what does that experience look and feel like? Is it nice? Unique? Does it tell visitors where they are? Or is it underwhelming, confusing, frustrating?

Putting yourself in your visitors' shoes will allow you to see the gaps in your user continuum that can then be addressed to provide a better experience. Understanding and managing the touch points in each sequence of time along The User Continuum is critical to presenting a great experience and lasting positive impression. The more touch points you can influence to meet the needs of your audience at each of these steps, the more successful the total experience can be.

The Wayfinding Funnel



Design Criteria & Wayfinding Strategy

User Friendly: Text, graphics and mapping is legible and uncomplicated.

- Directional messages will be limited to no more than 4–5 messages.
- Initial destination for all vehicular wayfinding is Parking closest to their destination.

Aesthetics: Harmonious in all respects, enduring design and appropriate scale.

Maintainable: Cleanable, repairable surfaces, information easily changed or added, low maintenance and durable. Information hierarchy allows for an organized and manageable wayfinding program.

Vandal Resistant: No exposed access points, tamper proof screws and bolts, strong structures that are securely installed.

Orientation: Signs oriented for the greatest visibility for users.

- Landscaping and other structures should enhance and not interfere with the visibility of the sign.
- Directional signs will be implemented at key decision points and announce only major visitor-based destinations. Private businesses, (corporate offices, restaurants, hospitality, etc.) are not typically placed on community wayfinding signs.

Consistency: Sign/element design are consistent throughout the sign system and easily recognized as information hubs throughout the City.


- Nomenclature should be consistent from wayfinding signs down to actual identification at the destination arrival point. This consistent language should flow down to pedestrian sign systems as well as destination language used by the places and institutions themselves.
- Parking lot identification sets up a recognizable system, limits message lengths, and reinforces a unified parking experience.

System: This program must consider the use of all wayfinding tools, not simply signage.

- Sign messages should be communicated in a hierarchical progression from general to specific as visitors move from the outskirts of the city toward their destination.
- Effective wayfinding provides the most critical information at the proper and relevant time.

Anatomy of a Community Wayfinding Sign

Drivers traveling at speeds of 25 mph or greater cannot compre-



GENERAL GUIDELINES

Data collected from

our discovery session and survey.

Wayfinding Challenges

• Inconsistent signs and brand Mis-matching signage creates confusion & anxiety while diluting brand image of the city, no

distinct feel when you are in town, starting to remedy on sections of Pearl

• Lack of signage and scale Many too small to read at road speeds and directional information is lacking, some

destinations not visible from street

• Traffic Congestion Traffic at mall is confusing and overwhelming, just off of highway

City Hall Location and travel experience is an issue, what you think is in the center of the community

is actually at the edge of town (Admin offices)

Recreation Center
 Lacking easy pedestrian access, hidden from street

Segmented City Metroparks and expressways divide the city, section of Pearl north of I-80 is still Strongsville

• Visual Interest Many southern entry points lack visual interest

Spread Out
 Community is spread out with not a lot of pedestrian activity

Amenities Disjointed and non-intuitive placement

Major Entry Roads

• Pearl Road: Crowded, many of curb cuts with lots of pulling in/out, 4-5 lane road with very little access control.

• Royalton Road: Large, lots of traffic but smoother traffic flow, visually a lot going on.

Prospect Road: Smoother traffic flow, smaller road with fewer lanes than Royalton

Major Developments/Central Business Districts

Commons/Square
 Wanting to move city hall to this area to be close to the rest of the city amenities, looking at

pedestrian improvements (NOACA Redevelopment Plan, TLCI Study)

• Royalton Rd. east of Pearl Currently heavy commercial development, looking at promoting multi-modal

transportation, important in linking in connecting residents to the park

Pearl Road Corridor
 Started to implement a consistent image with landscaping and fencing, need to roll into

other corridors

• Industrial Parks Major commercial destinations could fit the look of city signs, currently missing a

professional image

Major Destinations

Chalet (Metroparks)

Commons/Square*

· Industrial Parks

Strongsville Business & Technology Park

Darice Parkway

Progress Drive Business Park

Dow Circle Research & Development Park


Ice Skating Rink


- Library
- Metroparks
- Schools*
- Southpark Mall
- Sports Fields
- Rec Center/Senior Center*


Primary (visitor-based) destinations

Drivers traveling at speeds of 25 mph or greater cannot comprehend more than 4-5 messages, therefore, these highlighted destinations have been determined as wayfinding priorities. This does not mean other destinations will never appear on signage at appropriate locations.

* Identified as major pedestrian destinations







Gateways B Ice Skating Rink Dow Circle Research and Dev. Park Metroparks Chalet Rec./Senjor Ctresale SouthPark Mall Baseball Fields Historical Society Library Middle School Progress Drive Business High School Park Youth Sports Volunteer City Hall Strongsville Business Baseball Park Fields Perceived primary gateway Darice Parkway Foltz Jurisdictional gateway **Enhanced Streetscape** 128 13 a city is different from a jurisdictional A perceived entry primary point into feeling—when the visitor recognizes great view, a landmark, architecture used in areas where it may not be reinforce your location in the city. they have arrived. Location could apparent you are in the city or to be based on nice landscaping, a Enhanced streetscape could be or environmental elements that boundary). It is the moment—a entry point (the actual defined represent the city's character. 130 130 Destinations **Major Travel** 132 (252)

Gateways

Gateway elements support placemaking and identification of your city and key assets within your community. These structures are implemented to establish pride in community and introduce the quality and character of place upon entry.

While signs are placed at jurisdictional boundaries, larger and more elaborate statements are made at points where one psychologically feels as if they have arrived.

Types of Gateways

- · Monument Signs
- · Post-Mounted Signs
- · Banner Programs
- · Landscape/Hardscape
- · District/Neighborhood Identification
- · Public Art Installations










RECOMMENDED SIGN TYPE FAMILY



Vehicular Directionals

Vehicular signs and messages are designed to be easily read by people driving at speeds of 25 mph or more. Federal and State guidelines may dictate design, structure and messages.

There can be multiple levels of directional signs that progress from general to specific messages, as well as different scales depending on the surrounding environment and speed of traffic. Since the final destination for vehicular traffic is typically parking many vehicular wayfinding programs include direction to destination based parking and/or public parking.


Types of Vehicular Directionals

- · Primary Directionals
- · Secondary Directionals











RECOMMENDED SIGN TYPE FAMILY





Secondary Directional

Identification

Signage that identifies specific landmarks, assets, and points of interest confirms your visitors' arrival and communicates the level of care and attention that you have invested into your city's destinations.

A consistent identification sign family not only provides wayfinding clarity, but also indicates support and unity by the city, which can help attract business and residents.

Types of Vehicular Identification Signs

- · City Owned/Operated Facilities
- · City Owned/Operated Parks
- · Industrial or Business Parks
- Parking
- · Street Signs (Historic area)







RECOMMENDED SIGN TYPE FAMILY





Park ID



Industrial/Business Park ID



Parking ID

PROGRAM BUDGET

		SIGN TYPE	QTY	UNIT COSTS RANGES includes fabrication and installation	TOTAL
PRIORITY	DIRECTIONALS	Primary	15	HIGH \$4,500	\$67,500
				LOW \$3,000	\$45,000
		Secondary	14	HIGH \$3,500	\$49,000
				LOW \$2,500	\$35,000
				Including contingency +15% =	\$92,000—\$133,975

GATEWAYS	Perceived/Primary	3	HIGH \$18,000	\$54,000
			LOW \$5,000	\$15,000
	Jurisdictional	7	HIGH \$4,500	\$31,500
			LOW \$1,500	\$10,500

IDENTIFICATION	City Facility	4	HIGH \$8,000	\$32,000
			LOW \$4,000	\$16,000
	City Doub	9	HIGH \$8,000	\$72,000
	City Park		LOW \$4,000	\$36,000


NOTES

- Design affects budget as does final programming of your site or community. These numbers are for planning purposes only.
- Quantities are an estimate based on initial study only, final quantities may vary.
- See Appendix for historic project pricing diagrams.
- Implementation phasing can be broken down over a period of years. Typically, communities we have worked with implement over a 4-5 year period depending on the size of their overall sign program.

Recommend as your highest priority items, meaning if installed, they will provide the most value based on your way-finding challenges and goals. These can be developed and implemented as a stand alone project.

Tier 1 – Low

Sign designs that leverage flat graphics and simple shapes are cost effective, using single sheets of aluminum in fabrication. Simpler in design and size, these projects often enhance the existing elements of a wayfinding or signage program instead of starting from scratch, and typically do not include large or elaborate gateway elements. Signs may be attached to existing poles or structures and any new elements would be added to existing signage or posts.



BUDGET RANGE EXAMPLES

Tier 2 – Medium

Custom shapes and cuts, and light use of masonry or stonework add to the character and the quality (as well as the cost). While the journey is always a priority no matter the budget, Tier 2 allows for more customization. Decorative posts or fabricated panels that are layered and dimensional allow for a more intricate and higher quality aesthetic within the destination.






BUDGET RANGE EXAMPLES

Tier 3 – High

Illuminating signs or adding electrical components, heavy use of masonry or stonework, and large gateway elements beautify the space and create an eyecatching wayfinding program.

In addition to being larger in scope and complexity, these projects often include a higher level of customization, including elaborate shapes, complex designs and unique materials that appeal to a higher aesthetic.





No matter the size of the wayfinding project, there are always considerations and variables that impact scope and budget.

Material Selection

Most exterior signs are built from aluminum, but other higher end materials can be used if the design intent or brand aesthetic calls for it.


Material Usage

Typically the larger amount of material used equals a better cost per unit, essentially buying in bulk and cutting down on waste.

Size and Scale

The size and complexity of signs implemented in a project directly affect the fabrication and installation cost.

Some variables are easier to visualize when looked at through the lens of fabrication. A more complicated signage system with layering and ornate details will drive up cost. In some cases, cities take the responsibility of removing existing signage, but that can also fall on the fabricator, adding to the overall cost. The type of installation required can affect cost. For example, installing a post in soil is typically easier (and less expensive) than installing in concrete or pavement. These are all variables that need to be considered when planning and budgeting for your wayfinding and signage program.



OTHER RECOMMENDATIONS

The following sign types have not been included in the initial wayfinding analysis, but may be considered as future additions to the program.

Industrial Parks

Consistent look and feel with the entire city program (i.e. materials and/or color). Entries should be identified due to other city amenities located within the industrial parks. Suggestion of setting standard address numbers for businesses to be easily identified.

Banner Program(s)

Banners can be temporary or permanent, or a mixture of both. Not only a placemaking tool, banners can promote events, tell stories and add character to a streetscape. Banners show that something is happening in your community and can even be used as an economic source by selling advertising space to merchants and businesses.

Information Kiosks

If it does not already have a sign program, the Commons may benefit from a family of pedestrian directionals, information kiosks vehicular and parking signage, etc.

Trail/Bike Signage

While it is typically the responsibility of the organization managing the trail to place signage on the trails themselves, it is important that cities promote themselves and their assets to trail users. Trail users are an additional audience that can be an economic driver for the city.













Timeline

The following timeline is a rough estimation. Several factors may affect the timeline including client review and approval, government review processes, bidding process, size and scope of the project, etc.

PHASE 2 12-16 WEEKS

Build Up: Design & Programming

- Kick-off Meeting(s)/Site Visit
- Conceptual Design & Presentation
- Schematic Design (30%) & Presentation
 - Programming Revisions
 - Fabrication Budget Update
- Design Intent (60%) & Presentation
 - Programming Revisions
 - Fabrication Budget Update
- Bid Package (100%)
- Prepare Final Art

PHASE 3 16-24 WEEKS

Move Forward: Implementation

- Bid Process
- Bid Review and Evaluation
- Contractor Meetings & Coordination
- Submittal Reviews
- Fabrication
- Installation
- Punch list
- Final Inspection

Project Approach — Design Development

DEVELOPMENT APPROACH & COSTS

The following outline is the Scope and Approach to developing a Signage and Wayfinding Program that is ready for Implementation.

The outline and fee takes in the assumptions that we would develop the sign program containing: Gateway Signs, Vehicular Directionals, City/ Park Facility Signs, Parking Identification and Historic Downtown Street Signs per the report. Additional sign types or other types of placemaking elements would constitute a separate effort.

Part 1: Design Development

Discovery Visit includes site visit and meeting with the project team: Review the City's sense of place and overall visitor experience.

Sign System Programming based on the Wayfinding Analysis and visit, we will establish coordinated sign messaging with each sign type location. Client team will review and provide consolidated feedback.

Conceptual Design will address functional and aesthetic goals for a beautiful and maintainable program. We will present up to three (3) conceptual design themes for the proposed program. The Client team will select a conceptual direction to move forward and provide consolidated feedback to inform the next phase of development.

- Conceptual Design typically includes hand sketches, support imagery and notations to describe the concepts.
- · Based on the selected concept direction, our team will begin to develop the Sign Program.

Sign Type Structures Drawings Provide dimensions and detailed illustrations to demonstrate the look and feel of each sign type are developed. Material and fabrication specifications will be recommended and noted on each drawing. Client team will review and provide consolidated feedback. Any revisions will be presented in the Design Intent Phase.

Design Development is an iterative process. We will present progressive design documentation for review in the following submittal types: Schematic Design and Design Intent.

- Schematic Design (30%): With an approved sign design concept and message schedule as our guide, we will develop the recommended sign system family as outlined in the Sign Program Framework. We will begin deeper exploration and presentation of the sign program's character, style, materials and fabrication methods. Sign program budget update is included.
- **Design Intent (60%):** Comments and changes based on the review of the Schematic Design package will be incorporated. Views and details that demonstrate the design intent of each sign type along with sign face and message layout instructions are presented. The location plans and a coordinated message schedule will undergo a final update and may include additional details

If desired, a Public Open House would be appropriate after Schematic Design is approved to generate interest and excitement.

Instructional Sign Type Drawings (100%): For each sign type in the Sign System, we will provide a written narrative of its function, use, any particular modular/changeable capability and an overview drawing of the sign type for reference.

• **Performance Specifications:** Instructional and guidance information for sign contractors in regards to the performance expectations of materials used, fabrication and installation techniques, warranty requirements as well as maintenance information/instructions. such as location conditions, installation needs and requirements.

Project Approach — Implementation

Part 2: Implementation (Optional)

Bid Management

This phase addresses the implementation of your program. Our team helps you select the most appropriate fabrication partner, monitors the construction process to ensure the design intent is upheld and reviews the program once it is installed to make sure it is completed to the quality and standards that you expect.

• **Bid Review and Evaluation:** The project team will review submitted proposals and provide the client with a compilation of project bids and evaluation report, along with a formal recommendation for the project award.

Implementation Oversight

Our team will review colors, materials, fabrication methods, including shop drawings and message layouts from the fabricator. We will red-line shop drawings and review materials and mock-ups to confirm that all submitted items comply with our design intent. We will perform inspections at the fabricator's shop as well as in the field during the installation process.

Services and tasks during this phase of work include:

- · Meeting with selected contractor(s) for start of work to review all program documents.
- · Manage contractor relationships, schedule and on-site coordination.
- · Review, approve and submit contractor and professional pay applications.
- · Sign Location verification and walk-through with client and contractor.
- · Oversee progress of fabrication.
- · Oversee progress on content population and deployment of digital media components.
- · Oversee progress of installation.
- · Survey finished project; prepare detailed punch list.

Professional Fees

Part 1: Design Development

\$18,000-\$20,000

Includes (2) on-site visits

Final deliverable: Sign Program Bid Package

Part 2: Implementation (optional)

\$7,000-\$9,000

Includes (2) on-site visits

Pre-Fabrication walk-through with Client and Selected Sign Contractor

Post Installation walk-through with Client