

CITY OF STRONGSVILLE, OHIO

ORDINANCE NO. 2015 – 242

By: Mr. DeMio

AN ORDINANCE AUTHORIZING THE DISPOSAL OF CERTAIN SELF-CONTAINED BREATHING APPARATUS UNITS, LIFEPAK BATTERIES AND FIRE HOSES UTILIZED BY THE FIRE DEPARTMENT, AND WHICH ARE BEYOND THEIR SERVICE LIFE, OBSOLETE AND/OR DAMAGED AND NO LONGER NEEDED NOR SAFE FOR ANY MUNICIPAL PURPOSE.


BE IT ORDAINED BY THE COUNCIL OF THE CITY OF STRONGSVILLE, COUNTY OF CUYAHOGA AND STATE OF OHIO:

Section 1. That this Council finds that the City of Strongsville Fire Department has fifty-four (54) self-contained breathing apparatus (SCBA) units and various Lifepak batteries, which are beyond their useful service life, and in addition, various sizes and lengths of fire hoses, which are damaged and/or in poor condition and unsafe for further use, and which are surplus, have no monetary value and are no longer needed for any municipal purpose; and further finds that it would be in the best interest of the City to dispose of such Fire Department equipment.


Section 2. That, pursuant to Article IV, §3(e) of the City Charter, the Director of Finance with the assistance of the Fire Chief, be and are hereby authorized to dispose of the various aforementioned Fire Department equipment which is further identified on the attached Exhibits A and B, and to perform all acts required in furtherance thereof.

Section 3. That it is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council; and that all deliberations of this Council, and any of its committees, that resulted in such formal action were in meetings open to the public in compliance with all legal requirements.

Section 4. That this Ordinance shall take effect and be in force from and after the earliest period allowed by law.



President of Council

Approved: 

Mayor

Date Passed: November 16, 2015

Date Approved: November 17, 2015

CITY OF STRONGSVILLE, OHIO
 ORDINANCE NO. 2015 - 242
 Page 2

	<u>Yea</u>	<u>Nay</u>
Carbone	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Daymut	<input checked="" type="checkbox"/>	<input type="checkbox"/>
DeMio	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Dooner	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Maloney	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Schonhut	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Southworth	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Attest: *Aimee Pientko*
 Clerk of Council

ORD. No. 2015-242 Amended: _____
 1st Rdg. 11-16-15 Ref: _____
 2nd Rdg. Suspended Ref: _____
 3rd Rdg. Suspended Ref: _____

 Pub Hrg. _____ Ref: _____
 Adopted: 11-16-15 Defeated: _____

Out of Service SCBA cylinders

10/30/15

Identification Numbers for SCOTT 4500 psi 30 minute air cylinders

29011, 22569, 22603, 28805, 21971, 37543, 237857, 21661, 21649, 21634, 22254, 21843, 22626, 22184,
29120, 21846, 51851, 22585, 37635, 22089, 240571,

37616, 1585, 30462, 7398, 37646, 38559, 37657, 7170, 37635, 38528, 38523, 38505, 37624, 37629,
38525, 36229, 7319, 25970, 38542, V7160,

38440,38342,58943,20573,38535,37618,38393,30705,30504,249506,7213,38361,37649,

EXHIBIT A

Disposable Out of Service Fire Hose- SFD

10/30/2015

1-3/4" X 50'

1. 97-#4 tears
2. 97-#63 holes
3. 89-#4 Leak
4. 97-#51 holes
5. 97-#61 inner liner separation
6. 97-#65 leak
7. 98-#219 Leak
8. 98-#203 Leak
9. 12-#9 liner separation
10. 97-#27 tear/leak in jacket (10/04/2015)
11. 2001-#12 fuel contaminated/stained
12. 2012-#6 fuel contaminated/stained
13. 97-#13 contaminated/stained (9/2015 OTP)
14. 09-? Fuel contamination

1-3/4" X 75'

1. 98-#3 tear in jacket

2-1/2" X 50'

1. 92-#3 age
2. 00-#3 leak near female coupling
3. 09-#6 burst/hole
4. 98-#236 leak
5. 00-#11 leak @ coupling
6. 98-#230 holes
7. 97-#204 tear/leak in jacket (10/04/2015)
8. 98-#249 tear/leak in jacket (1015-2015)
9. 98-#243 leak near female coupling
10. 12-#13 inner liner separation
11. 98-#219 leak

4" X 25'

1. 00-#422 (25') hole
2. 00-#421 (25') hole
3. 01 ? (25') inner liner separation (cloth)
4. ? (25') inner liner separation (cloth)

EXHIBIT B